


rk a k W rk ke

Pa IW S

By [Chen Hui Jing](#) / [@hj_chen](#)




State of Frontend 2024 survey

SOFE 2022 collected opinions from nearly **4000 frontend professionals**. We can surely do even more this year.

It will take **less than 10 minutes** to fill in, but your input will be instrumental in creating a **free report**, informing industry trends, and influencing decision-making.

We appreciate your engagement!

[Start my survey now](#) press Enter ↵



Not by us



STATE OF ORIGIN

LIVE & LOUD AT THE DUKE

GAME 1: Wed 5th June

GAME 3: Wed 17th July



Not by us



<https://www.devographics.com>



Alexey
Pyltsyn



Chris
Kirk-
Nielsen



Eric Burel



Kilian
Valkhof



Philip
Jägenstedt





Raphaël
Benitte




Sacha
Greif




Sarah
Fossheim






Join us on [Discord](#).

Check out the code on [GitHub](#).



State of
GraphQL
2022



Interop 2024 Dashboard

STABLE EXPERIMENTAL

74

INTEROP

5

INVESTIGATIONS

89

Chrome
Canary

89

Edge
Dev

87

Firefox
Nightly

88

Safari
Technology
Preview

Interop 2024 is a cross-browser effort to improve the interoperability of the web — to reach a state where each technology works exactly the same in every browser.


<https://wpt.fyi/interop-2024>



Baseline

<https://web.dev/baseline>

State Of



State Of



STATE OF



STATE OF



STATE OF



2021

2022

2023

| | | | |
|---|----------------------|-------------------------------|-----|
| ✓ | word-break | CSS Text Module Level 4 | WD |
| ✓ | word-space-transform | CSS Text Module Level 4 | WD |
| ✓ | word-spacing | CSS 2.1 | REC |
| ✓ | word-spacing | CSS Text Module Level 3 | CRD |
| ✓ | word-spacing | CSS Text Module Level 4 | WD |
| ✓ | word-wrap | CSS Text Module Level 3 | CRD |
| ✓ | word-wrap | CSS Text Module Level 4 | WD |
| ✓ | wrap-after | CSS Text Module Level 4 | WD |
| ✓ | wrap-before | CSS Text Module Level 4 | WD |
| ✓ | wrap-flow | CSS Exclusions Module Level 1 | WD |
| ✓ | wrap-inside | CSS Text Module Level 4 | WD |
| ✓ | wrap-through | CSS Exclusions Module Level 1 | WD |
| ✓ | writing-mode | CSS Writing Modes Level 4 | CR |
| ✓ | writing-mode | CSS Writing Modes Level 3 | REC |
| ✓ | z-index | CSS 2.1 | REC |

589 distinct property names from 81 technical reports and 83 editors' drafts.

COLOR KEY

| Abbreviation | Full name |
|--------------|---|
| ED | Editors' Draft (not a W3C Technical Report) |
| FPWD | First Public Working Draft |
| WD | Working Draft |
| CR | Candidate Recommendation |
| CRD | Candidate Recommendation Draft |
| PR | Proposed Recommendation |
| REC | Recommendation |
| NOTE | Working Group Note |

Cu apuhW T hWph

Pretend this is a responsive image

a n oon Coano n Co

Most cards have blurbs. This is the epitome of a generic example. Oh well...

```
.contained {  
  container-type: inline-size;  
}
```

```
.card__img {  
  background-color: darkgreen;  
  margin-block-end: 2cqh;  
  aspect-ratio: 2 / 1;  
}
```

```
@container (min-width: 20em) {  
  .card {  
    display: flex;  
    flex-wrap: wrap;  
    gap: 1em;  
    align-items: center;  
  }
```

```
  .card__img {  
    height: 20cqmax;  
    aspect-ratio: 1 / 1;  
    margin: 0 auto;  
  }
```

```
  .card__txt {
```


oh :has() hshe CW

```
/* Matches menu items with submenus in them */
```

```
nav li:has(menu) a::after { ... }
```

```
/* Matches <h1> elements only if they have a <p> element directly after
```

```
h1:has(+ p) { ... }
```

```
/* Matches all <section> elements that do NOT contain headings */
```

```
section:not(:has(h1, h2, h3, h4, h5, h6)) { ... }
```

```
/* Matches all <section> elements that have empty <div>s */
```

```
section:has(div:empty) { ... }
```

1.00

RATIOS OVER TIME

Percentages

Rankings






Retention, interest, usage, and awareness ratio over time.

Bootstrap Materialize CSS Ant Design Semantic UI/Foma... Bulma Foundation UIKit Tachyons
Tailwind CSS PureCSS Open Props Blaze UI UnoCSS

Awareness Usage Interest Retention



Customize Chart...




iPhone OS

Released in 2007




Released in 2008

FRONT-END FRAMEWORKS RATIOS OVER TIME



Mode: Value ▾

View: Usage ▾



[Share Chart...](#) [Export Data...](#)

1.00



FRONT-END FRAMEWORKS RATIOS OVER TIME

React

Vue.js

Angular

Preact

Svelte

Alpine.js

Lit

Solid


Qwik

Stencil

HTMX

Mode: Value

View: Interest




[Share Chart...](#) [Export Data...](#)





Reality


Expectation



The horse that became a meme by Ali Bati







Node.js is used by 3.3% of all the websites whose web server we know.


-W3Techs

Usage statistics of server-side programming languages for websites

Request an **extensive server-side programming languages market report**.
[Learn more](#)

This diagram shows the percentages of websites using various server-side programming languages. See [technologies overview](#) for explanations on the methodologies used in the surveys. Our reports are updated daily.

How to read the diagram:
PHP is used by 76.2% of all the websites whose server-side programming language we know.



The following server-side programming languages are used by less than 0.1% of the websites

Technology Brief

Server-side Programming Languages

A programming language defines the computer instructions which are used to write programs that perform some task, e.g. composing a web page.

WEBSITE INFORMER

Traffic stats

Whois and ownership

Competitors

IP and DNS lookup

+ more about any website

Latest related posting [read all](#)

Web technology fact of the day
31 May 2024

Usage of [JavaScript](#) as a server-side language grew by 33% in the last year.
[» more](#)

PHP is used by 76.2% of all the websites whose server-side programming language we know.

–W3Techs



*At the very least, make sure you know what jQuery is doing for you,
and what it's not.*

-You might not need jQuery




MISSING ELEMENTS

🔍 If you could add 3 elements to HTML, what would they be?

All Respondents


Add Filters...



FORM PAIN POINTS

What are your pain points around HTML forms? FREEFORM

All Respondents Add Filters...



HTML

Result

EDIT ON

<button popovertarget="message">Toggle Popover</button>

<div id="message" popover>

<p>This is a popover which you can close with <kbd>esc</kbd> or by clicking outside it.<p>

</div>

Toggle Popover


This is a popover which you can close with esc or by clicking outside it.

Resources

1x 0.5x 0.25x

Rerun

hc Ct RCuhu



Keith Cirkel

Let's Share What We Know



World Wide Web

hihWhueh

- You probably don't need GraphQL
- List of CSS properties, both proposed and standard
- iShadeed Lab – Container queries
- The CSS :has() selector is way more than a “Parent Selector”
- Why is ReactJS so popular?
- State of HTML 2023 now open!
- Anchor Positioning and the Popover API for a JS-Free Site Menu
- Use web components for what they're good at
- Web components should be able to easily adapt to the host page while maintaining encapsulation

raTy W



<https://chenhuijing.com>



[@huijing](#)



@huijing@tech.lgbt



[@huijing](#)

Font is [Inclusive Sans](#) by [Olivia King](#).